

ADVANCED HIGHER MATHEMATICS

Exam Questions on Systems of Linear Equations

1. Use Gaussian elimination to solve the following system of equations

$$\begin{aligned}x + y + z &= 10 \\2x - y + 3z &= 4 \\x + 2z &= 20.\end{aligned}$$

2. Use Gaussian elimination to solve the following system of equations

$$\begin{aligned}x + y + 3z &= 2 \\2x + y + z &= 2 \\3x + 2y + 5z &= 5.\end{aligned}$$

3. Use Gaussian elimination to solve the system of equations

$$\begin{aligned}x + y &= 4 \\x + 2y - z &= 5 \\3y - 2z &= 6.\end{aligned}$$

4. Use Gaussian elimination to solve the following system of equations.

$$\begin{aligned}x - z &= 2 \\2y - 3z &= 6 \\2x + y + z &= 1\end{aligned}$$

5. Use Gaussian elimination to solve the system of equations

$$\begin{aligned}x + y + z &= 0 \\2x - y + z &= -1 \cdot 1 \\x + 3y + 2z &= 0 \cdot 9\end{aligned}$$

6. Use Gaussian elimination to solve the following system of equations

$$\begin{aligned}x + y - z &= 6 \\2x - 3y + 2z &= 2 \\-5x + 2y - 4z &= 1.\end{aligned}$$

7. Solve the system of equations

$$\begin{aligned}x + y - z &= 3 \\y + z &= -2 \\x - 3z &= 7\end{aligned}$$

8. Solve the system of equations

$$\begin{aligned}x + y &= 1 \\2x + 3y + z &= 2 \\2x + 2y + z &= 1\end{aligned}$$

9. Below is a system of equations:

$$\begin{aligned}x + 2y + 3z &= 3 \\2x - y + 4z &= 5 \\x - 3y + 2\lambda z &= 2\end{aligned}$$

Use Gaussian elimination to find the value of λ which leads to redundancy.

10. (a)(i) Use Gaussian elimination on the system of equations below to give an expression for z in terms of λ .

$$\begin{aligned}x + 2y - z &= -3 \\4x - 2y + 3z &= 11 \\3x + y + 2\lambda z &= 8\end{aligned}$$

- (ii) For what value of λ is this system of equations inconsistent?
- (b) Determine the solution of this system when $\lambda = -2 \cdot 5$.

11. Below is a system of equations:

$$\begin{aligned}x - 2y + z &= -4 \\3x - 5y - 2z &= 1 \\-7x + 11y + \lambda z &= -11\end{aligned}$$

Use Gaussian elimination to find the value of λ which leads to redundancy.

12. (a)(i) Use Gaussian elimination on the system of equations below to give an expression for z in terms of λ .

$$\begin{aligned}x + y + z &= 2 \\4x + 3y - \lambda z &= 4 \\5x + 6y + 8z &= 11\end{aligned}$$

- (ii) For what value of λ is this system of equations inconsistent?
- (b) Determine the solution of this system when $\lambda = 2$.

13. (a) Use Gaussian elimination to solve the system of equations below when $a = 3$.

$$\begin{aligned}x - y + z &= 1 \\x + y + 2z &= 0 \\2x - y + az &= 2\end{aligned}$$

- (b) Explain what happens when $a = 2 \cdot 5$.

14. (a) Use Gaussian elimination to solve the system of equations below when $a = 6$:

$$\begin{aligned}x + y + 3z &= 1 \\3x + ay + z &= 1 \\x + y + z &= -1.\end{aligned}$$

- (b) Explain what happens when $a = 3$.

15. (a) Use Gaussian elimination to solve the system of equations below when $\lambda \neq 2$:

$$\begin{aligned}x + y + 2z &= 1 \\2x + \lambda y + z &= 0 \\3x + 3y + 9z &= 5.\end{aligned}$$

- (b) Explain what happens when $\lambda = 2$.

16. (a) Use Gaussian elimination to show that the system of equations below has an infinite number of possible solutions.

$$\begin{aligned}2x - y + 2z &= 1 \\x + y - 2z &= 2 \\x - 2y + 4z &= -1.\end{aligned}$$

- (b) If $z = t$, obtain solutions for x and y in terms of t .

17. (a) Use Gaussian elimination to obtain the solution of the following system of equations in terms of the parameter λ .

$$\begin{aligned}4x + 6z &= 1 \\2x - 2y + 4z &= -1 \\-x + y + \lambda z &= 2\end{aligned}$$

- (b) Describe what happens when $\lambda = -2$.

- (c) When $\lambda = -1 \cdot 9$ the solution is $x = -22 \cdot 25$, $y = 8 \cdot 25$, $z = 15$.

Find the solution when $\lambda = -2 \cdot 1$.

Comment on these solutions.