


Integration and the addition formula

1. a) Write down a formula for $\sin 2x$, and use it to solve the equation $\sin 2x = \sin x$ for $0 \leq x \leq \frac{\pi}{2}$.
- b) Find the shaded area enclosed by the curves $y = \sin 2x$ and $y = \sin x$.




Integration and quadratic graphs

2. The parabola shown crosses the x -axis at $(0, 0)$ and $(4, 0)$, and has a maximum at $(2, 4)$.

The shaded area is bound by the parabola, the x -axis and the lines $x = 2$ and $x = k$.

- (a) Find the equation of the parabola.
- (b) Hence show that the shaded area, A , is given by

$$A = -\frac{1}{3}k^3 + 2k^2 - \frac{16}{3}.$$



Integration and the wave function

3. (a) The expression $3 \sin x - 5 \cos x$ can be written in the form $R \sin(x + a)$ where $R > 0$ and $0 \leq a \leq 2\pi$.


Calculate the values of R and a .

- (b) Hence find the value of t , where $0 \leq t \leq 2$, for which

$$\int_0^t (3 \sin x - 5 \cos x) dx = 3$$

Integration and Differentiation


4. (a) Find the equation of the tangent to the parabola $y = 5 - x^2$ at $P(2,1)$
- (b) Calculate the area of the shaded region bounded by the tangent, the parabola and the y axis.



Integration and polynomials

5. (a) (i) Show that $(x - 4)$ is a factor of $x^3 - 5x^2 + 2x + 8$.
(ii) Factorise $x^3 - 5x^2 + 2x + 8$ fully.
(iii) Solve $x^3 - 5x^2 + 2x + 8 = 0$.

- (b) The diagram shows the curve with equation $y = x^3 - 5x^2 + 2x + 8$



The curve crosses the x -axis at P , Q and R .

Determine the shade area.